

MB1 LED Message Board

Accessories



FEATURES

- Incorporates a co-extruded, polycarbonate housing
- Powerful message board LEDs are available in Amber, Blue and Green
- Includes hardware kit with mount brackets and carriage bolts
- Board connects to a controller via CAT5 serial cable
- LED display can be "dimmed" to adjust message contrast
- Keypad has adjustable back lighting
- LCD display has adjustable contrast
- The system comes equipped with a set of (60) default messages
- PC software allows the administrator to create custom message sets
- Messages can be customized with a variety of features
- MB1 memory capacity can hold over (500) messages
- Three-year warranty

Superior public safety messaging system

MB1 LED Message Board is a public safety messaging system that displays different advisories notifying motorists and pedestrians of emergency incidents, road conditions, and other events. MB1 LED Message Board is ideal for police, fire, and work truck applications.

The MB1 system includes a LED message display and an internally mounted controller. The MB1 can hold up to (500) messages. The controller enables the vehicle operator to activate the LED message display board with tactical push-button control.

Pre-programmed or custom messages

MB1 models have pre-programmed messages or custom messages can be created using PC based software. A name of up to (20) characters can be assigned to each programmed message. The message displayed across the message board will also display across the control head. Using the message based software, programmed messages can also be copied to other vehicle message boards.



Control head enables the operator to activate the LED message board with tactical push-button control.



Customize messages are created and named using a PC based software.



AVAILABLE CHARACTERS

128 characters are available for message creation (66 "keyboard" characters and 62 "special" characters listed below)

Available "keyboard" characters:

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z 0 1 2 3 4 5 6 7 8 9

`~!@#\$%^&*()-_+=[]{}|\'"/?,<.>

Note: Letters are only available as "capitalized, upper case"

Available "special" characters:

EXAMPLES OF DIFFERENT FONT CHOICES





EXAMPLES OF MESSAGES AND COLOR CHOICES





MB1 mounted on a Ford Interceptor Utility



MB1 mounted on a HRX Series Headache Rack installed on a Chevrolet Silverado



STANDARD MESSAGE SET - MB1, MB1-A, MB1-G

	NAME	TYPE	MESSAGE
1	POLICE EMERGENCY	Scroll	POLICE EMERGENCY KEEP BACK
2	SLOW DOWN	Flash	POLICE\SLOW\DOWN
3	KEEP BACK	Flash	POLICE\KEEP\DOWN
4	RESTRICTED ZONE	Scroll	RESTRICTED ZONE AHEAD DO NOT PROCEED
5	LEFT ARROW	Advanced	<< << <<
6	RIGHT ARROW	Advanced	>> >> >>
7	SPLIT ARROW	Advanced	<< << >>>
8	ACCIDENT SLOW	Flash	ACCIDENT\AHEAD\SLOW\ DOWN
9	MERGE RIGHT	Advanced	MERGE\RIGHT\8 spaces\ >> >> >>
10	MERGE LEFT	Advanced	MERGE\LEFT\ << << << <<
11	SPLIT TRAFFIC	Advanced	SPLIT\TRAFFIC\ << << >>>
12	STAY IN LANE	Flash	STAY\IN\LANE
13	LEFT LANE CLOSED	Flash	LEFT\LANE\CLOSED
14	RHT LANE CLOSED	Flash	RIGHT\LANE\CLOSED
15	ROAD CLOSED	Flash	ROAD\CLOSED
16	STREET CLOSED	Flash	STREET\CLOSED
17	SLOW TRAFFIC AHEAD	Flash	SLOW\TRAFFIC\AHEAD
18	REDUCE SPEED	Flash	CAUTION\REDUCE\SPEED
19	WET ROAD	Flash	CAUTION\WET\ROAD
20	CAU ROAD ICING	Scroll	CAUTION\ROAD\ICING
21	POOR VISIBILITY	Flash	CAUTION POOR VISIBILITY
22	SCHOOL CROSS	Flash	CAUTION\SCHOOL\CROSS
23	DETOUR AHEAD	Flash	DETOUR\AHEAD
24	EVENT AHEAD	Flash	EVENT\PARKING\AHEAD
25	EVENT EXIT	Flash	EVENT\PARKING\EVIT\HERE
26	EVENT NEXT	Flash	EVENT\PARKING\NEXT\EXIT
27	KEEP LEFT	Advanced	KEEP\LEFT
28	KEEP RIGHT	Advanced	KEEP\RIGHT
29	STREET CLOSED ALT	Scroll	STREET CLOSED USE ALTERNATE ROUTE
30	LANE CLOSED MRG RHT	Flash	LANE\CLOSED\ MERGE\RIGHT
31	LANE CLOSED MRG LEFT	Flash	LANE\CLOSED\MERGE\LEFT
32	SLOW CONST AHEAD	Scroll	SLOW CONSTRUCTION AHEAD

	NAME	TYPE	MESSAGE
33	SLOW CONST ZONE	Scroll	SLOW DOWN CONSTRUCTION ZONE
34	PARADE ROUTE	Flash	PARADE\ROUTE\NO\ PARKING
35	DO NOT TAILGATE	Scroll	EMERGENCY VEHICLE DO NOT TAILGATE
36	ROAD FLOODING	Flash	CAUTION\ROAD\FLOODING
37	ENTRANCE CLOSED	Flash	ENTRANCE\CLOSED
38	TRAFFIC EXIT	Flash	DETOUR\ALL\TRAFFIC\ MUST\EXIT
39	EXIT CLOSED	Flash	EXIT\CLOSED
40	RAMP CLOSED	Flash	RAMP\CLOSED
41	DWI CHECK POINT	Scroll	POLICE DWI CHECKPOINT AHEAD PREPARE TO STOP
42	POLICE CHECK POINT	Scroll	POLICE CHECKPOINT PREPARE TO STOP
43	AMBER ALERT	Flash	AMBER\ALERT
44	PROCEED WITH CAUTION	Flash	PROCEED\WITH\CAUTION
45	DISABLED VEHICLE	Flash	DISABLED\VEHICLE\AHEAD
46	SHERIFF	Steady On	SHERIFF
47	STATE POLICE	Steady On	STATE POLICE
48	STATE TROOPER	Steady On	STATE TROOPER
49	PEDESTRIAN	Scroll	PEDESTRIAN CROSSWALK AHEAD
50	SPEED LIMIT	Scroll	SPEED LIMIT ENFORCED
51	DO NOT TEXT	Scroll	DO NOT TECT & DRIVE
52	BUCKLE UP	Steady On	BUCKLE UP
53	CHILD SAFETY	Scroll	CHILD SAFETY CHECKPOINT
54	CHILD SEAT	Scroll	CHILD SEAT CHECKPOINT
55	DON'T DRINK	Scroll	DON'T DRINK AND DRIVE
56	WORK ZONE AHEAD	Scroll	WORK ZONE AHEAD
57	HEAVY TRAFFIC	Scroll	HEAVY TRAFFIC AHEAD
58	FLOODING AHEAD	Scroll	FLOODING AHEAD
59	SEVERE WEATHER	Scroll	SEVERE WEATHER APPROACHING SEEK SHELTER
60	HAVE A SAFE DAY	Steady On	HAVE A SAFE DAY



HOW TO ORDER



Lens Color

MB1	Public Safety messaging system with Blue LED message display and controller, 12 Vdc
MB1-A	Public Safety messaging system with Amber LED message display and controller, 12 Vdc
MB1-G	Public Safety messaging system with Green LED message display and controller, 12 Vdc
MB1- BNRW	Public safety messaging system with Blue LED message display and controller, narrow mounting applications, 12 Vdc

	narrow mounting applications, 12 vac			
MOUNTING KITS (SOLD SEPARATELY)				
МВК03Н	Kit for mounting MB1 to rear of Valor _® lightbars with Hook Mount			
MBK01	Kit for mounting MB1 in rear of interior of Ford Police Interceptor Utility, 2013-2023			
MBK02	Kit for mounting MB1 to rear interior of Chevrolet Tahoe, 2015-2020			
MBK04	Kit for mounting MB1 to rear of Integrity®, Legend®, LPX, and Navigator® lightbars			
MBK05	Kit for mounting MB1 to rear of Vision _® SLR lightbar			
MBK06	Kit for mounting MB1-BNRW to the rear interior of Dodge Durango, 2011-2023			

SPECIFICATIONS

	MESSAGE BOARD		CONTROLLER	
OPERATIN	G VOLTAGE	12 V	′dc	
CURRENT	DRAW	8 A		
OPERATING	G TEMP	-22° to +149° F (-30° to +65°C)		
PHYSICAL	PHYSICAL SPECIFICATIONS			
LENGTH	35.2 in	(89.4 cm)	6.8 in (17.3 cm)	
WIDTH	3.3 in (8.4 cm) -	3.3 in (8.4 cm) - without brackets		
HEIGHT	4.8 in (12.2 cm) - with brackets 3.0 in (7.6 cm) - without brackets		3.3 in (8.3 cm)	
SHIP WEIG	SHIP WEIGHT			
NET WEIGHT	7.0 lb (3.2 kg)		0.8 lb (0.4 kg)	
SHIP WEIGHT BOARD & CONTROLLER		10.0 lb (4.5 kg)		



